The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-22013

Stream : Big Walnut Creek

Applicant : Putnam County Highway Department

1624 West 225 South Greencastle, IN 46135

Description : Approximately 150' of the creek's eroded west (left) streambank was stabilized

with riprap to protect the bank from further erosion. The riprap was keyed into the streambed at its base and conforms to the existing bank at the project limits. It has a maximum height of 30' with no streamward projection beyond the existing bank, and 1:2 sideslopes. Details of the project are contained in information and plans received at the Division of Water on August 8, 2002 and February 21, 2003.

Location : On County Road 325 East, near the intersection of 325 East and County Road

300 North

DOWNSTREAM: near Fillmore, Floyd Township, Putnam County S½, SW¼, SE¼, Section 30, T 15N, R 3W, Greencastle Quadrangle

Quad Code: 3908667

UTM Coordinates: Downstream 4394775 North, 518200 East

UPSTREAM:

UTM Coordinates: Upstream 4394900 North, 518200 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 1 04/09/2003 8:01 AM

Application # : FW-22281

Stream : Turkey Creek

Applicant : *Indiana Department of Transportation

Carole Korbly Scott

100 North Senate Avenue, Room N642

Indianapolis, IN 46204-2216

Description : The existing continuous steel beam bridge carring State Road 53 over the creek

will be rehabilitated. The west shoulder of the bridge deck will be removed and replaced. The existing metal bridge railings will be replaced with new 2'-9" standard concrete bridge railings. New full width concrete bridge approaches will be constructed and the existing guardrail will be replaced with a new W-Beam guardrail at each corner of the bridge. The existing riprap on both spill through embankments under the bridge will be removed and replaced with Class 1 riprap placed over geotextiles. The approach roads will not be raised and there will be minimal work in the channel. Details of the project are contained in information

and plans received at the Division of Water on March 19, 2003.

Location : At the existing State Road 53 stream crossing

DOWNSTREAM: near Merrillville, Ross Township, Lake County SW¼, NW¼, NW¼, Section 10, T 35N, R 8W, Gary Quadrangle

Quad Code: 4108753

UTM Coordinates: Downstream 4594615 North, 471960 East

UPSTREAM: SE¼, NE¼, NE¼, Section 9, T 35N, R 8W

UTM Coordinates: Upstream 4594615 North, 471950 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22286

Stream : Thorpe Creek

Applicant : HES Utilities, Inc.

James C Hart

11901 Lakeside Drive Fishers, IN 46038-1316

Description : Approximately 3000' of an 18" diameter force main will be installed along the

overbank and connected to an existing lift station. The pipe will be placed at existing grades. Details of the project are contained in information and plans

received at the Division of Water on March 24, 2003.

Location : Along the right (west) overbank, beginning approximately 3000' upstream

(northeast) of the 113th Street stream crossing and continues upstream

approximately 3000'

DOWNSTREAM: near McCordsville, Fall Creek Township, Hamilton County

SE¼, SE¼, Section 36, T 18N, R 5E, McCordsville Quadrangle

Quad Code: 3908588

UTM Coordinates: Downstream 4423745 North, 593800 East

UPSTREAM: SW1/4, Section 31, T 18N, R 6E

UTM Coordinates: Upstream 4424360 North, 594400 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22287

Stream : Becketts Run

Applicant : Theodore L Parrish

407 East Till Road

Fort Wayne, IN 46825-2061

Description : Approximately 216' of Beckett Run's eroded south (right) streambank was

stabilized with rip rap to protect the bank from further erosion. The rip rap was keyed into the streambed at its base and conforms to the existing bank at the project limits. It has a maximum height of 4.5', a maximum streamward projection of 18' beyond the existing bank, and 2:1 sideslopes. Details of the project are contained in information and plans received at the Division of Water on March 26.

2003.

Location : along the right (south) bank, approximately 2000' upstream of State Road 327

DOWNSTREAM: at Fort Wayne, Washington Township, Allen County SW¼, SW¼, NW¼, Section 1, T 31N, R 12E, Huntertown Quadrangle

Quad Code: 4108522

UTM Coordinates: Downstream 4559100 North, 656282 East

UPSTREAM:

UTM Coordinates: Upstream 4559133 North, 656223 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22297

Stream : White Lick Creek

Applicant : John Presnell

741 Viewpoint Drive

Plainfield, IN 46168-1086

Description : Accumulated sediment in the south side of the channel and bank will be

excavated to improve flow. The excavated material will be placed along the north side of the channel and bank to repair the eroded portion of the north bank. The newly excavated portion of the channel will be approximately 500' long, have a 25' bottom width, and approximately 2:1 side slopes. Details of the project are contained in information and plans received at the Division of Water on April 1,

2003.

Location : Beginning approximately 3000' downstream (south) of the County Road 300

South stream crossing and continuing downstream approximately 500'

near Plainfield, Guilford Township, Hendricks County

SE1/4, NW1/4, Section 27, T 15N, R 1E, Plainfield Quadrangle

Quad Code: 3908664

UTM Coordinates: Downstream 4395790 North, 550285 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22305

Lake : Mississinewa Lake

Applicant : Wabash County Board of Commissioners

Larry Rice

800 Manchester Avenue Wabash, IN 46992-1422

Description

: The existing five span steel girder bridge will be rehabilitated to meet 3R Standards. The proposed rehabilitation work will extend the life of the bridge at least 15 years. Rehabilitation work will include the replacement of the existing railing and curbs, deck drains and portions of the deck itself, asphalt overlay and approach slabs. Pedestals will be constructed behind the rail to accommodate power poles. 5'-0" of each end of the bridge floor will be replaced, including the tops of mudwalls and the existing expansion joints. The welds around the lateral bracing gusset plates will be peened to bring the structure to an HS-20 capacity. The existing structural steel in all spans will be cleaned and painted in accordance with INDOT Specifications. The clear roadway of the existing structure is 22'-0", consisting of two 10'-0" travel lanes and two 1'-0" shoulders. The rehabilitated structure will have a clear roadway of 25'-4", consisting of two 10'-0" travel lanes and two 2'-8" shoulders. The out-to-out width of the bridge, 27'-4", will not change as a result of rehabilitation. The project will include the construction of asphalt shoulder and wedges on both the north and south approaches to the structure. Riprap drainage turnouts will be constructed from the end of the barrier rail transitions down the sideslopes. No in-channel work will occur, nor will any dredging occur or fill placed below Mississinewa Lake's ordinary high water mark. Details of the project are contained in information recieved electronically at the Division of Water on April 4, 2003.

Location

: The project is located on Wabash County Bridge No. 13 and the associated banks of Mississinewa Lake, along Mississinewa Road

near Somerset, Waltz Township, Wabash County Section 19, T 26N, R 6E, Peoria Quadrangle

Quad Code: 4008568

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22306

Stream : Schlensker Ditch

Applicant : JBJ, L.L.C.

Bruce Biggerstaff Sr 3614 Citadel Circle

Newburgh, IN 47630-7903

Description

: A new residential development, Carrington Meadows, will be constructed south of Schlensker Ditch to provide additional housing for the rapidly growing area. Floodway construction activities associated with this development include a portion of an approximately 1,800' long by 150' wide by an average of 11.5' deep incised stormwater retention basin. Runoff will be conveyed to the basin by means of reinforced concrete pipe and open swales constructed within the development outside the designated floodway. Material excavated from the basin is to be used to elevate the building pads and balance the earthwork activities. Details of the project are contained in information received electronically at the Division of Water on April 4, 2003.

Location

The proposed construction activity would occur south of Schlensker Ditch and west of Petersburg Road. The basin is to be constructed within the boundary of a Lake Maintenance and Storm Drainage Easement (L.M.&S.D.E.) as described on the Primary Plat for the subdivision. The subdivision site is located in the Northeast ¼ of the Southeast ¼ and the Southeast ¼ of the Northeast ¼ of Section 10 as well as the Northwest ¼ of the Southwest ¼ of Section 11. The site of construction within the designated floodway falls on within the two quarter quarters of Section 10.

near Evansville, Scott Township, Vanderburgh County Section 10, T 5S, R 10W, Evansville North Quadrangle

Quad Code: 3808715

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22307

Stream : Bull Run Creek

Applicant : Town of St. John

Steve Kil

10955 West 93rd Avenue

St. John, IN 46373

Description : A new bridge will be constructed over Bull Run Creek to carry pedestrian/bikes

across the stream. The new structure will be a 1-span steel bridge with span lengths of 80'. The structure will have an out-to-out length of 10' and a clear roadway width of 8'. The spill through abutments will have 2:1 sideslopes armored with rip rap. The approach roads will be elevated a maximum of 2.3' above the existing grade. Clean fill for the approach roads will be brought in from an outside source. Details of the project are contained in information recieved

electronically at the Division of Water on April 7, 2003.

Location : The project is located along Bull Run Creek in St. John, IN. A trail is to be

constructed along the banks of Bull Run Creek outside of the 100-year elevation. A 80' long steel bridge will be placed along the trail to provide pedestrian and biking access. The bridge will be located at the southern end of Hedwig Drive

where the road abutes the creek

at St. John, Hanover Township, Lake County Section 32, T 35N, R 9W, St. John Quadrangle

Quad Code: 4108744

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-19468

Lake : Westler Lake

Applicant : Rick Zielinski

9613 Woodstream Drive Fort Wayne, IN 46804-7052

Description : A 20' x 25' underwater beach will be constructed along the applicant's 55'

frontage by placing a uniform 6" layer of pea gravel on the lakebed.

Details of the project are contained in information and plans received at the

Division of Water on March 18, 2003, and March 25, 2003.

Location : 1480 East 720 South

near Wolcottville, Johnson Township, LaGrange County

NE14, NE14, NW14, Section 32, T 36N, R 10E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4599568 North, 633755 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19470

Lake : Lake Manitou

Applicant : Roger Farley

794 Kenilworth Avenue Glen Ellyn, IL 60137-3806

Description : A concrete seawall will be constructed across the applicant's 50' frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. The straight seawall will be connected to existing seawalls on the adjacent properties.

Details of the project are contained in information and plans received at the

Division of Water on March 20, 2003, and March 28, 2003.

Location : Along the south-east shoreline of Lake Manitou, #2404, Lot #5, Bestview Park

Addition

near Rochester, Rochester Township, Fulton County

NW¼, SE¼, SE¼, Section 15, T 30N, R 3E, Rochester Quadrangle

Quad Code: 4108612

UTM Coordinates: Downstream 4544167 North, 569324 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19471

Lake : Winona Lake

Applicant : Roger Crouse

205 Isleview Drive

Winona Lake, IN 46590-1732

Description : A concrete seawall will be constructed across of the applicant's 100' frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on March 21, 2003, and March 26, 2003.

Location : Lot 33 of Plat of Islewood Village on Winona Lake

near Winona Lake, Wayne Township, Kosciusko County

NE¼, NE¼, SE¼, Section 21, T 32N, R 6E, Warsaw Quadrangle

Quad Code: 4108527

UTM Coordinates: Downstream 4562844 North, 598343 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19475

Lake : Lake Wawasee

Applicant : John Stringer

11481 Goldilocks Lane Cromwell, IN 46732-9652

Description : A concrete seawall will be constructed across 60' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of

Water on March 25, 2003 and April 2, 2003.

Location : Lot 114, Enchanted Hill, Section 1

near Cromwell, Turkey Creek Township, Kosciusko County

SE1/4, SW1/4, NW1/4, Section 13, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4584007 North, 611153 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19476

Lake : Lake Wawasee

Applicant : Chris Ganshorn

10035 North Turkey Creek Road

Syracuse, IN 46567-9635

Description : A concrete seawall will be constructed across 60' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of

Water on March 25, 2003 and April 2, 2003.

Location : Lot 113, Enchanted Hills, Section 1

near Cromwell, Turkey Creek Township, Kosciusko County

NW1/4, NE1/4, SW1/4, Section 13, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4584002 North, 611153 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19477

Lake : Lake Wawasee

Applicant : PJ Reidenbach

11491 Goldilocks Lane Cromwell, IN 46732-9652

Description : A concrete seawall will be constructed across 60' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of

Water on March 25, 2003 and April 2, 2003.

Location : Lot 115, Enchanted Hills , Section 1

near Cromwell, Turkey Creek Township, Kosciusko County

SE1/4, SW1/4, NW1/4, Section 13, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4584026 North, 611166 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11